

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/962,645	11/03/1997	HISASHI KAWAI	35.G1460-CI	9119
5514	7590 01/29/2003			
FITZPATRICK CELLA HARPER & SCINTO 30 ROCKEFELLER PLAZA NEW YORK, NY 10112			EXAMINER	
			NGUYEN, LUONG TRUNG	
			ART UNIT	PAPER NUMBER
			2612	
			DATE MAILED: 01/29/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.



 $\sqrt{2}$ 

Office Action Summary

Application No. **08/962,645** 

Examiner

Applicant(s)

Luong Nguyen

Art Unit 2612

Kawai



• •	on the cover sheet with the correspondence address				
Period for Reply  A SHARTENED STATISTORY PERIOD FOR REPLY IS SET.	TO EXPIRE 3 MONTH(S) FROM				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.					
<ul> <li>Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In mailing date of this communication.</li> </ul>	no event, however, may a reply be timely filed after SIX (6) MONTHS from the				
- If the period for reply specified above is less than thirty (30) days, a reply within the					
<ul> <li>If NO period for reply is specified above, the maximum statutory period will apply a</li> <li>Failure to reply within the set or extended period for reply will, by statute, cause the</li> </ul>	ne application to become ABANDONED (35 U.S.C. § 133).				
<ul> <li>Any reply received by the Office later than three months after the mailing date of t earned patent term adjustment. See 37 CFR 1.704(b).</li> </ul>	his communication, even if timely filed, may reduce any				
Status					
1) Responsive to communication(s) filed on Nov 18, 2					
2a)   ☐ This action is FINAL.  2b) ☐ This act	ion is non-final.				
3) Since this application is in condition for allowance eclosed in accordance with the practice under Ex pair	except for formal matters, prosecution as to the merits is rte Quayle, 1935 C.D. 11; 453 O.G. 213.				
Disposition of Claims					
4) 💢 Claim(s) <u>14-21, 23, 28, and 30-32</u>	is/are pending in the application.				
4a) Of the above, claim(s)	is/are withdrawn from consideration.				
5) Claim(s)	is/are allowed.				
6) X Claim(s) 14-21, 23, 28, and 30-32	is/are rejected.				
7)  Claim(s)	is/are objected to.				
8)	are subject to restriction and/or election requirement.				
Application Papers					
9) The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are	a) accepted or b) objected to by the Examiner.				
Applicant may not request that any objection to the d	rawing(s) be held in abeyance. See 37 CFR 1.85(a).				
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner					
If approved, corrected drawings are required in reply to this Office action.					
12) The oath or declaration is objected to by the Exami	ner.				
Priority under 35 U.S.C. §§ 119 and 120					
13) Acknowledgement is made of a claim for foreign pr	riority under 35 U.S.C. § 119(a)-(d) or (f).				
a) $\square$ All b) $\square$ Some* c) $\square$ None of:					
1. Certified copies of the priority documents hav	e been received.				
2. Certified copies of the priority documents have been received in Application No					
	ocuments have been received in this National Stage				
*See the attached detailed Office action for a list of the					
14) $\square$ Acknowledgement is made of a claim for domestic	priority under 35 U.S.C. § 119(e).				
a) The translation of the foreign language provisiona	application has been received.				
15) Acknowledgement is made of a claim for domestic	priority under 35 U.S.C. §§ 120 and/or 121.				
Attachment(s)	_				
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413) Paper No(s).				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	5) Notice of Informal Patent Application (PTO-152)				
3) Information Disclosure Statement(s) (PTO-1449) Paper No(s).	6)				

Art Unit: 2612

# **DETAILED ACTION**

# Response to Arguments

1. Applicant's arguments filed on 11/18/2002 have been fully considered but they are not persuasive.

In re page 8, Applicant argues that Saito does not teach detecting whether the image pickup device is in a document image pickup state or in a person image pickup state.

Accordingly, nothing has been found in Saito that would teach or suggest an angle detection unit detect a change of angle of the image pickup direction, as recited in independent claim 14.

In response, it should be noted that the feature "detecting whether the image pickup device is in a document image pickup state or in a person image pickup state" is not recited in the claim. Instead, regarding claim 14, the Applicant recited the limitation "an angle detection unit adapted to detect a change of an angle of the image pickup direction." The Examiner considers that this feature is taught by Saito. Saito discloses a sensor which is provided to a video camera for detecting an orientation position of the video camera. The orientation position of the video camera corresponds to the change of angle of the video camera. This shows that the change of angle of the video camera is detected (detecting a change of an angle of the image pickup direction, column 7, lines 30-38, column 8, lines 48-54).

Art Unit: 2612

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 14-18, 20-21, 23, 28, 30-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohyama et al (US 5,247,330) in view of Saito (US 5,631,699) further in view of Morimura (US 5,940,128) and Ishikawa et al. (US 4,939,580).

Regarding claims 14, 23, Ohyama et al. disclose an image input device comprising an image pickup unit, disclosed as camera unit 2 (figure 1, column 3, lines 1-5); an image pickup direction switch, disclosed as button 12 (figure 1, column 4, lines 34-40). Ohyama et al. disclose a support unit for supporting the camera unit at a predetermined position (predetermined angle). Ohyama et al. disclose mount table as original pedestal 5 in figure 1.

Ohyama et al. fail to specifically disclose an angle detection unit adapted to detect a change of an angle of the image pickup direction. However, Saito teaches an sensor which is provided to a video camera for detecting an orientation position of the video camera (detecting a change of an angle of the image pickup direction, column 8, lines 48-54). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ohyama et al. by the teaching of Saito in order to detect orientation position of the video camera (angle of the image pickup direction, column 8, lines 48-54).

Art Unit: 2612

Ohyama et al. and Saito fail to specifically disclose a control unit adapted to automatically store an image signal in a storage unit. However, Morimura teaches frame memory 5 and 6 which store image signal outputted from video camera 3 (figure 4, column 3, line 65 through column 4, line 16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ohyama et al. and Saito by the teaching of Morimura in order to store image signal.

Ohyama et al., Saito and Morimura fail to explicitly disclose storing an image signal including a predetermined angle in a storage unit, in accordance with detecting a change of the image pickup direction by said angle detection unit. However, Ishikawa et al. teaches that image signals are always output except when the camera is moved (video output is inhibited during camera movement, see abstract). This implies that, when the camera is moved from direction 1 to direction 2, it will stop outputting signals while moving, and once it is fixed at new location 2, signals will start to be output again. This shows that the output signal is read when a change has been detected. Therefore, it would have been obvious to modify the device in Ohyama et al., Saito and Morimura by the teaching of Ishikawa et al. in order to only store image signal when a change has been detected. Doing so, it saves the memory of the storage unit.

Regarding claim 15, Ohyama et al. fail to specifically disclose a fixed detection unit adapted to determine whether the image pickup direction is fixed. However, Saito teaches an sensor which is provided to a video camera for detecting an orientation position of the video camera (detecting a change of an angle of the image pickup direction, column 8, lines 48-54). If

Application/Control Number: 08/962,645

Art Unit: 2612

the orientation of the camera is fixed, this sensor also detect this. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ohyama et al. by the teaching of Saito in order to detect orientation position of the video camera (angle of the image pickup direction, column 8, lines 48-54).

Page 5

Regarding claim 16, in Ohyama et al., figure 1 shows camera unit 2 which moves in the direction indicated by arrow a (column 4, lines 34-40). Although a moto-type driving means is not explicitly shown, it is considered inherent since the camera moves presumably in response to a user input button 12.

Regarding claim 17, Ohyama et al. disclose the camera unit 2 is capable of moving in the direction indicated by arrow a (column 4, lines 34-40). It would have been obvious to move camera between imaging a document and imaging a person in order to let the user select a desired direction. Images are stores from the camera at all times. Therefore, the time at which the camera changes position from a document to a person is also stored.

Regarding claim 18, Morimura discloses wherein said control unit (microcomputer 17, figure 10) is adapted to cause the stored image signal to be output (figure 10).

Art Unit: 2612

Regarding claim 20, Morimura discloses a control unit as microcomputer 17 (figure 10). Morimura discloses that the system stores signals at all times, that inherently includes "image signal stored by the storing means repeatedly".

Regarding claim 21, Morimura discloses a control unit as microcomputer 17 (figure 10). Morimura discloses that the system stores signals at all times, that inherently includes those times when the camera is located at an angle not equal to the predetermined angle. This shows that "image signal stored by the storing means selectively".

Regarding claim 28, all the limitations are contained in claim 14. Therefore, see Examiner's comment regarding claim 14.

Claim 30 is considered substantively equivalent to claim 18 discussed above.

Claim 31 is considered substantively equivalent to claim 20 discussed above.

Claim 32 is considered substantively equivalent to claim 21 discussed above.

4. Claims 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ohyama et al (US 5,247,330) in view of Saito (US 5,631,699), Morimura (US 5,940,128) and Ishikawa et al. (US 4,939,580) further in view of Mizoguchi (EP 617562).

As for claim 19, Ohyama et al, Saito, Morimura and Ishikawa et al. do not explicitly state that the storage means includes more than two storage areas. This implies that two or more

Art Unit: 2612

frames of image data may be stored in the memory. Mizoguchi also discloses a camera system that stores image data of people or images of events other than people. On page 4, lines 17+, Mizoguchi states that still image data can be stored as a group of image data. This allows for more than one frame of data to be stored at one time. This allows for more data to be replayed, which is advantageous. For this reason, it would have been obvious to have the storage means in the system of Ohyama et al, Saito, Morimura and Ishikawa et al capable of storing a plurality of frames by being divided into a plurality of storage sections.

### Conclusion

5. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2612

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Luong Nguyen** whose telephone number is **(703) 308-9297**. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Wendy Garber**, can be reach on **(703) 305-4929**.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231

**or faxed to:** (703) 872 - 9314

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal drive, Arlington, VA., Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

LN LN 1/23/2003

SUPERVISORY MATERIT EXAMINATION TECHNOLOGY CENTER 2600